Notice of Allowability	Application No.	Applicant(s)
	10/046,683	SALTZ, IVAN
	Examiner	Art Unit
	Mohammad Ali	2166
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject	oplication. If not included in will be mailed in due course. THIS
1. This communication is responsive to <u>7/12/06</u> .		
2. The allowed claim(s) is/are 1-3 and 6-8 (Renumbered as 1	<u>-6)</u> .	
 3. ☐ Acknowledgment is made of a claim for foreign priority unersulation. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		
Certified copies of the priority documents have		
3. Copies of the certified copies of the priority do	· · · =	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submit	ENT of this application. itted. Note the attached EXAMINER	R'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which give		ation is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 		0.048) attacked
(a) ☐ including changes required by the Notice of Draitspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date	on's Patent Drawing Review (P10	-946) attached
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal I	Potent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🛛 Interview Summary	/ (PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
wRa	9. Other	
MOHAMMAD ALI PRIMARY EXAMINER		

DETAILED ACTION

1. This communication is in response to the amendment filed on 7/12/06.

After a search and a thorough examination of the present application and in light of the prior art made of records, claims 1-3 and 6-8 (renumbered as 1-6) are allowed.

Claims 4 and 5 have been cancelled.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney, Manuel Valcarcel, Esq., Registration No. 41,360 on September 09, 2006.

Please replace the claims which was filed on 7/12/06 with new versions as follows:

- 1. (currently amended) A database management system for use with a searchable computerized database, comprising:
 - a database containing data items;
 - a user input interface for receiving database queries for specific data from users of said database;

Application/Control Number: 10/046,683 Page 3

Art Unit: 2166

a limit engine module, interfacing with said database for revising a database user's query for specific data to include data within a programmable range of deviation from said database user query, said revision being accomplished via a pre-selected algorithm without further user-supplied parameters being required;

a query builder module responsive to said limit engine module for formulating a database search query for database data within said range of deviation supplied by said limit engine module;

a query processor module responsive to said query builder module for processing said database search query formulated by said search query builder module; and

a ranking module responsive to said query processor module for ranking database data within said range of deviation according to how closely said data matches the database user's query for specific data;

a sort module responsive to said ranking module for sorting said ranked database data into descending order based on the rank assigned to each item within said range of deviation data by said ranking module; and

a user display interface for displaying the results of said database search query processed by said query processor module to the database user.

2. (original) The database management system of Claim 1, wherein said limit engine is programmed to expand a database user's query for specific data to include data within a fixed percentage of deviation from the database user's query.

Application/Control Number: 10/046,683 Page 4

Art Unit: 2166

3. (original) The database management system of Claim 1, wherein said limit engine is programmed to expand a database user's query for specific data to include data within a fixed statistical standard deviation of data within said database from the database user's query.

- 4. (canceled).
- 5. (canceled).
- 6. (currently amended) A method for providing database search query results according to similarity of database objects to search query criteria within a programmable range of deviation, comprising the following steps:

receiving a database user query input for specific data;

revising said user query input, said revision being accomplished automatically via a pre-selected algorithm without further user-supplied parameters being required, to include data within a programmed range of deviation from said user query;

formulating a database search query for database data within said programmed range of deviation;

processing said database search query for database data within said programmed range of deviation;

how closely said data matches the user's query for specific data;

sorting said ranked database data into descending order based on the rank assigned to each data item within said programmed range of deviation; and

displaying the results of said database search query to the database user.

Application/Control Number: 10/046,683 Page 5

Art Unit: 2166

7. (currently amended) The method of Claim 6, wherein said step of revising said user query input to include data within a programmed range of deviation from said user query comprises expanding said query to include data within a fixed percentage of deviation from said user query.

8. (currently amended) The method of Claim 6, wherein said step of revising said user query input to include data within a programmed range of deviation from said user query comprises expanding said query to include data within a fixed statistical standard deviation of data within said database from said user query.

Reason for Allowance

3. The prior art made of records does not teach or fairly suggest the combination of elements, as recited in independent claims 1 and 6. More specifically, the prior art of records does not specifically suggest as amended by an Examiner's amendment.

The dependent claims, being definite, further limiting, and fully enabled by the specification and are also allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad Ali whose telephone number is (571) 272-4105. The examiner can normally be reached on Monday-Thursday (7:30 am-6:00 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain T. Alam can be reached on (571) 272-3978. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mohammad Alt Primary Examiner

Art Unit 2166

MA

September 12, 2006